


What is claimed is:

1. A compound of formula (I)



(I)

and physiologically acceptable salts wherein:

R¹ and R², are, independently selected from the group consisting of hydrogen and optionally substituted C₁-C₆ alkyl such that R¹ and R² can represent a ring;

R³ is selected from the group consisting of optionally substituted C₁-C₆ alkyl, optionally substituted C₁-C₆ alkenyl, optionally substituted C₁-C₆ alkynyl and optionally substituted aryl or heteroaryl;

R⁴ is selected from the group consisting of hydrogen, optionally substituted aralkyl, CH₂CONR⁹R¹⁰, and optionally substituted C₁-C₆ alkyl, such that R⁴ and R⁵ can represent a ring;


R⁵ is selected from the group consisting of optionally substituted C₁-C₃ alkyl, such that R⁴ and R⁵ can represent a ring;

R⁶ is selected from the group consisting of chlorine, fluorine or hydrogen;

R⁷ and R⁸, are, independently selected from the group consisting of hydrogen, halogen, and optionally substituted C₁-C₃ alkyl; and

R⁹ and R¹⁰ are independently selected from hydrogen, C₁-C₆ alkyl, C₃-C₇ cycloalkyl, or together form a ring containing up to 6 carbons in the backbone.

2. A compound according to claim 1 having general formula (II)



(II)

and physiologically acceptable salts wherein:

R³ is selected from the group consisting of optionally substituted C₁-C₆ alkyl, optionally substituted C₁-C₆ alkenyl, optionally substituted C₁-C₆ alkynyl and optionally substituted aryl or heteroaryl;

R⁴ is selected from the group consisting of hydrogen or optionally substituted C₁-C₂ alkyl;

R⁵ is selected from the group consisting of optionally substituted C₁-C₂ alkyl;

R⁶ is selected from the group consisting of chlorine, fluorine or hydrogen;

R⁷ and R⁸, are independently selected from the group consisting of hydrogen, halogen, and optionally substituted C₁-C₃ alkyl; and

R⁹ and R¹⁰ are independently selected from hydrogen or C₁-C₆ alkyl.

3. A compound according to claim 1 selected from the group consisting of
N-1*H*-Indazol-5-yl-2-methyl-4-(2-naphthalenyl)-6-oxo-1,4,5,6-tetrahydro-3-pyridinecarboxamide;
 4-(4-Fluorophenyl)-*N*-1*H*-indazol-5-yl-2-methyl-6-oxo-1,4,5,6-tetrahydro-3-pyridinecarboxamide;
 4-(4-Chloro-2-fluorophenyl)-*N*-1*H*-indazol-5-yl-2-methyl-6-oxo-1,4,5,6-tetrahydro-3-pyridinecarboxamide;
 4-(4-Chlorophenyl)-*N*-1*H*-indazol-5-yl-2-methyl-6-oxo-1,4,5,6-tetrahydro-3-pyridinecarboxamide;
N-1*H*-Indazol-5-yl-2-methyl-6-oxo-4-[4-(trifluoromethyl)phenyl]-1,4,5,6-tetrahydro-3-pyridinecarboxamide;
 4-(4-Biphenyl)-*N*-1*H*-indazol-5-yl-2-methyl-6-oxo-1,4,5,6-tetrahydro-3-pyridinecarboxamide;
 4-(3,4-Dichlorophenyl)-*N*-1*H*-indazol-5-yl-2-methyl-6-oxo-1,4,5,6-tetrahydro-3-pyridinecarboxamide;
 4-(4-Fluorophenyl)-*N*-1*H*-indazol-5-yl-1,2-dimethyl-6-oxo-1,4,5,6-tetrahydro-3-pyridinecarboxamide;
 4-[2-Fluoro-4-(trifluoromethyl)phenyl]-*N*-1*H*-indazol-5-yl-2-methyl-6-oxo-1,4,5,6-tetrahydro-3-pyridinecarboxamide;
N-1*H*-Indazol-5-yl-2-methyl-6-oxo-4-(3-quinolinyl)-1,4,5,6-tetrahydro-3-pyridinecarboxamide;

N-(3-Chloro-1*H*-indazol-5-yl)-2-methyl-6-oxo-4-[4-(trifluoromethyl)phenyl]-1,4,5,6-tetrahydro-3-pyridinecarboxamide;

4-(4-Chloro-2-fluorophenyl)-*N*-(3-chloro-1*H*-indazol-5-yl)-2-methyl-6-oxo-1,4,5,6-tetrahydro-3-pyridinecarboxamide;

N-(3-Chloro-1*H*-indazol-5-yl)-2-methyl-4-(2-naphthalenyl)-6-oxo-1,4,5,6-tetrahydro-3-pyridinecarboxamide;

N-(3-Chloro-1*H*-indazol-5-yl)-4-(4-fluorophenyl)-2-methyl-6-oxo-1,4,5,6-tetrahydro-3-pyridinecarboxamide;

4-(4-Chloro-2-fluorophenyl)-*N*-(3-chloro-1*H*-indazol-5-yl)-2-methyl-6-oxo-1,4,5,6-tetrahydro-3-pyridinecarboxamide;

2-Methyl-*N*-(3-methyl-1*H*-indazol-5-yl)-6-oxo-4-[4-(trifluoromethyl)phenyl]-1,4,5,6-tetrahydro-3-pyridinecarboxamide;

N-(3-Bromo-1*H*-indazol-5-yl)-2-methyl-6-oxo-4-[4-(trifluoromethyl)phenyl]-1,4,5,6-tetrahydro-3-pyridinecarboxamide;

N-(3-Ethyl-1*H*-indazol-5-yl)-2-methyl-6-oxo-4-[4-(trifluoromethyl)phenyl]-1,4,5,6-tetrahydro-3-pyridinecarboxamide;

N-(6-Fluoro-1*H*-indazol-5-yl)-2-methyl-6-oxo-4-[4-(trifluoromethyl)phenyl]-1,4,5,6-tetrahydro-3-pyridinecarboxamide;

N-(7-Chloro-1*H*-indazol-5-yl)-2-methyl-6-oxo-4-[4-(trifluoromethyl)phenyl]-1,4,5,6-tetrahydro-3-pyridinecarboxamide;

2-Methyl-*N*-(7-methyl-1*H*-indazol-5-yl)-6-oxo-4-[4-(trifluoromethyl)phenyl]-1,4,5,6-tetrahydro-3-pyridinecarboxamide;

N-(3-Chloro-1*H*-indazol-5-yl)-4-[2-fluoro-4-(trifluoromethyl)phenyl]-2-methyl-6-oxo-1,4,5,6-tetrahydro-3-pyridinecarboxamide;

N-(3-Bromo-1*H*-indazol-5-yl)-4-[2-fluoro-4-(trifluoromethyl)phenyl]-2-methyl-6-oxo-1,4,5,6-tetrahydro-3-pyridinecarboxamide;

4-[2-Fluoro-4-(trifluoromethyl)phenyl]-2-methyl-*N*-(3-methyl-1*H*-indazol-5-yl)-6-oxo-1,4,5,6-tetrahydro-3-pyridinecarboxamide;

N-(3-Ethyl-1*H*-indazol-5-yl)-4-[2-fluoro-4-(trifluoromethyl)phenyl]-2-methyl-6-oxo-1,4,5,6-tetrahydro-3-pyridinecarboxamide;

N-(6-Fluoro-1*H*-indazol-5-yl)-4-[2-fluoro-4-(trifluoromethyl)phenyl]-2-methyl-6-oxo-1,4,5,6-tetrahydro-3-pyridinecarboxamide;

4-[2-Fluoro-4-(trifluoromethyl)phenyl]-2-methyl-*N*-(7-methyl-1*H*-indazol-5-yl)-6-oxo-1,4,5,6-tetrahydro-3-pyridinecarboxamide;

N-(7-Chloro-1*H*-indazol-5-yl)-4-[2-fluoro-4-(trifluoromethyl) phenyl]-2-methyl-6-oxo-1,4,5,6-tetrahydro-3-pyridinecarboxamide;

4-(4-Chloro-2-fluorophenyl)-2-methyl-*N*-(3-methyl-1*H*-indazol-5-yl)-6-oxo-1,4,5,6-tetrahydro-3-pyridinecarboxamide;

N-(3-Bromo-1*H*-indazol-5-yl)-4-(4-chloro-2-fluorophenyl)-2-methyl-6-oxo-1,4,5,6-tetrahydro-3-pyridinecarboxamide;

4-(4-Chloro-2-fluorophenyl)-*N*-(3-ethyl-1*H*-indazol-5-yl)-2-methyl-6-oxo-1,4,5,6-tetrahydro-3-pyridinecarboxamide;

4-(4-Chloro-2-fluorophenyl)-*N*-(6-fluoro-1*H*-indazol-5-yl)-2-methyl-6-oxo-1,4,5,6-tetrahydro-3-pyridinecarboxamide;

4-(4-Chloro-2-fluorophenyl)-2-methyl-*N*-(7-methyl-1*H*-indazol-5-yl)-6-oxo-1,4,5,6-tetrahydro-3-pyridinecarboxamide;

4-(4-Chloro-2-fluorophenyl)-*N*-(7-chloro-1*H*-indazol-5-yl)-2-methyl-6-oxo-1,4,5,6-tetrahydro-3-pyridinecarboxamide;

N-(3-Bromo-1*H*-indazol-5-yl)-2-methyl-4-(2-naphthalenyl)-6-oxo-1,4,5,6-tetrahydro-3-pyridinecarboxamide;

2-Methyl-*N*-(3-methyl-1*H*-indazol-5-yl)-4-(2-naphthalenyl)-6-oxo-1,4,5,6-tetrahydro-3-pyridinecarboxamide;

N-(3-Ethyl-1*H*-indazol-5-yl)-2-methyl-4-(2-naphthalenyl)-6-oxo-1,4,5,6-tetrahydro-3-pyridinecarboxamide;

2-Methyl-*N*-(7-methyl-1*H*-indazol-5-yl)-4-(2-naphthalenyl)-6-oxo-1,4,5,6-tetrahydro-3-pyridinecarboxamide;

N-(7-Chloro-1*H*-indazol-5-yl)-2-methyl-4-(2-naphthalenyl)-6-oxo-1,4,5,6-tetrahydro-3-pyridinecarboxamide;

N-(3-Chloro-6-fluoro-1*H*-indazol-5-yl)-4-(4-chloro-2-fluorophenyl)-2-methyl-6-oxo-1,4,5,6-tetrahydro-3-pyridinecarboxamide;

4-(4-Chlorophenyl)-*N*-(6-fluoro-1*H*-indazol-5-yl)-2-methyl-6-oxo-1,4,5,6-tetrahydro-3-pyridinecarboxamide;

N-1*H*-Indazol-5-yl-1,2-dimethyl-6-oxo-4-[4-(trifluoromethyl)phenyl]-1,4,5,6-tetrahydro-3-pyridinecarboxamide;

4-(3-Hydroxyphenyl)-*N*-1*H*-indazol-5-yl-2-methyl-6-oxo-1,4,5,6-tetrahydro-3-pyridinecarboxamide;

4-[4-(Aminosulfonyl)phenyl]-*N*-1*H*-indazol-5-yl-2-methyl-6-oxo-1,4,5,6-tetrahydro-3-pyridinecarboxamide;

4-(4-Cyanophenyl)-*N*-1*H*-indazol-5-yl-2-methyl-6-oxo-1,4,5,6-tetrahydro-3-pyridinecarboxamide;

N-(6-Fluoro-1*H*-indazol-5-yl)-4-[2-fluoro-4-(trifluoromethyl) phenyl]-1,2-dimethyl-6-oxo-1,4,5,6-tetrahydro-3-pyridinecarboxamide;

4-[2-Fluoro-4-(trifluoromethyl)phenyl]-1,2-dimethyl-*N*-(3-methyl-1*H*-indazol-5-yl)-6-oxo-1,4,5,6-tetrahydro-3-pyridinecarboxamide;

N-(3-Chloro-1*H*-indazol-5-yl)-4-[2-fluoro-4-(trifluoromethyl) phenyl]-1,2-dimethyl-6-oxo-1,4,5,6-tetrahydro-3-pyridinecarboxamide;

4-(4-Chloro-2-fluorophenyl)-1,2-dimethyl-*N*-(3-methyl-1*H*-indazol-5-yl)-6-oxo-1,4,5,6-tetrahydro-3-pyridinecarboxamide;

4-(4-Chloro-2-fluorophenyl)-*N*-(3-chloro-1*H*-indazol-5-yl)-1,2-dimethyl-6-oxo-1,4,5,6-tetrahydro-3-pyridinecarboxamide;

4-(4-Chloro-2-fluorophenyl)-*N*-(6-fluoro-1*H*-indazol-5-yl)-1,2-dimethyl-6-oxo-1,4,5,6-tetrahydro-3-pyridinecarboxamide;

N-(3-Chloro-6-fluoro-1*H*-indazol-5-yl)-2-methyl-6-oxo-4-[4-(trifluoromethyl)phenyl]-1,4,5,6-tetrahydro-3-pyridinecarboxamide;

N-(3-Chloro-6-fluoro-1*H*-indazol-5-yl)-4-[2-fluoro-4-(trifluoro-methyl)phenyl]-2-methyl-6-oxo-1,4,5,6-tetrahydro-3-pyridinecarboxamide;

N-(3-Chloro-6-fluoro-1*H*-indazol-5-yl)-4-(4-chlorophenyl)-2-methyl-6-oxo-1,4,5,6-tetrahydro-3-pyridinecarboxamide;

4-(4-Chlorophenyl)-2-methyl-*N*-(3-methyl-1*H*-indazol-5-yl)-6-oxo-1,4,5,6-tetrahydro-3-pyridinecarboxamide;

N-(6-Chloro-1*H*-indazol-5-yl)-4-(4-chlorophenyl)-2-methyl-6-oxo-1,4,5,6-tetrahydro-3-pyridinecarboxamide;

4-(4-Chlorophenyl)-*N*-1*H*-indazol-5-yl-1,2-dimethyl-6-oxo-1,4,5,6-tetrahydro-3-pyridinecarboxamide;

4-[2-Fluoro-4-(trifluoromethyl)phenyl]-*N*-1*H*-indazol-5-yl-1,2-dimethyl-6-oxo-1,4,5,6-tetrahydro-3-pyridinecarboxamide;

4-(4-Chloro-2-fluorophenyl)-*N*-1*H*-indazol-5-yl-1,2-dimethyl-6-oxo-1,4,5,6-tetrahydro-3-pyridinecarboxamide;

N-(3-Chloro-1*H*-indazol-5-yl)-1,2-dimethyl-6-oxo-4-[4-(trifluoromethyl)phenyl]-1,4,5,6-tetrahydro-3-pyridinecarboxamide;

N-(6-Fluoro-1*H*-indazol-5-yl)-1,2-dimethyl-6-oxo-4-[4-(trifluoromethyl)phenyl]-1,4,5,6-tetrahydro-3-pyridinecarboxamide;

4-(4-Chlorophenyl)-*N*-(6-fluoro-1*H*-indazol-5-yl)-1,2-dimethyl-6-oxo-1,4,5,6-tetrahydro-3-pyridinecarboxamide;

4-(4-Chlorophenyl)-1,2-dimethyl-*N*-(3-methyl-1*H*-indazol-5-yl)-6-oxo-1,4,5,6-tetrahydro-3-pyridinecarboxamide;

N-(6-Fluoro-1*H*-indazol-5-yl)-4-[2-fluoro-5-(methoxy)phenyl]-2-methyl-6-oxo-1,4,5,6-tetrahydro-3-pyridinecarboxamide;

N-(6-Fluoro-1*H*-indazol-5-yl)-4-[2-fluoro-3-(methoxy)phenyl]-2-methyl-6-oxo-1,4,5,6-tetrahydro-3-pyridinecarboxamide;

4-(2-Fluoro-5-hydroxyphenyl)-*N*-(6-fluoro-1*H*-indazol-5-yl)-2-methyl-6-oxo-1,4,5,6-tetrahydro-3-pyridinecarboxamide;

4-(2-Fluoro-3-hydroxyphenyl)-*N*-(6-fluoro-1*H*-indazol-5-yl)-2-methyl-6-oxo-1,4,5,6-tetrahydro-3-pyridinecarboxamide;

4-[5-(Aminosulfonyl)-4-chloro-2-fluorophenyl]-*N*-(6-fluoro-1*H*-indazol-5-yl)-2-methyl-6-oxo-1,4,5,6-tetrahydro-3-pyridinecarboxamide;

4-[3-(Aminosulfonyl)-4-chlorophenyl]-*N*-(6-fluoro-1*H*-indazol-5-yl)-2-methyl-6-oxo-1,4,5,6-tetrahydro-3-pyridinecarboxamide;

4-[3-(Aminosulfonyl)phenyl]-*N*-(6-fluoro-1*H*-indazol-5-yl)-2-methyl-6-oxo-1,4,5,6-tetrahydro-3-pyridinecarboxamide;

4-(2,3-Difluorophenyl)-*N*-(6-fluoro-1*H*-indazol-5-yl)-2-methyl-6-oxo-1,4,5,6-tetrahydro-3-pyridinecarboxamide;

4-(2,3-Difluorophenyl)-*N*-1*H*-indazol-5-yl-2-methyl-6-oxo-1,4,5,6-tetrahydro-3-pyridinecarboxamide;

4-(2,4-Difluorophenyl)-*N*-(6-fluoro-1*H*-indazol-5-yl)-2-methyl-6-oxo-1,4,5,6-tetrahydro-3-pyridinecarboxamide;

4-(2,4-Difluorophenyl)-*N*-(1*H*-indazol-5-yl)-2-methyl-6-oxo-1,4,5,6-tetrahydro-3-pyridinecarboxamide;

N-(6-Fluoro-1*H*-indazol-5-yl)-4-(3-hydroxyphenyl)-2-methyl-6-oxo-1,4,5,6-tetrahydro-3-pyridinecarboxamide;

N-(6-Fluoro-1*H*-indazol-5-yl)-2-methyl-4-{3-[(methylsulfonyl)amino]phenyl}-6-oxo-1,4,5,6-tetrahydro-3-pyridinecarboxamide;

4-(4-Chloro-3-nitrophenyl)-*N*-(6-fluoro-1*H*-indazol-5-yl)-2-methyl-6-oxo-1,4,5,6-tetrahydro-3-pyridinecarboxamide;

4-(3-Amino-4-chlorophenyl)-*N*-(6-fluoro-1*H*-indazol-5-yl)-2-methyl-6-oxo-1,4,5,6-tetrahydro-3-pyridinecarboxamide;

4-{4-Chloro-3-[(methylsulfonyl)amino]phenyl}-*N*-(6-fluoro-1*H*-indazol-5-yl)-2-methyl-6-oxo-1,4,5,6-tetrahydro-3-pyridinecarboxamide;

N-(6-Fluoro-1*H*-indazol-5-yl)-2-methyl-4-[3-nitro-4-(trifluoromethyl)phenyl]-6-oxo-1,4,5,6-tetrahydro-3-pyridinecarboxamide;

4-[3-Amino-4-(trifluoromethyl)phenyl]-*N*-(6-fluoro-1*H*-indazol-5-yl)-2-methyl-6-oxo-1,4,5,6-tetrahydro-3-pyridinecarboxamide;

N-(6-Fluoro-1*H*-indazol-5-yl)-2-methyl-4-[3-[(methylsulfonyl)amino]-4-(trifluoromethyl)phenyl]-6-oxo-1,4,5,6-tetrahydro-3-pyridinecarboxamide;

4-[3-[(Ethylsulfonyl)amino]-4-(trifluoromethyl)phenyl]-*N*-(6-fluoro-1*H*-indazol-5-yl)-2-methyl-6-oxo-1,4,5,6-tetrahydro-3-pyridinecarboxamide;

N-(6-Fluoro-1*H*-indazol-5-yl)-4-(2-fluoro-5-nitrophenyl)-2-methyl-6-oxo-1,4,5,6-tetrahydro-3-pyridinecarboxamide;

N-(6-Fluoro-1*H*-indazol-5-yl)-4-[4-fluoro-3-(trifluoromethyl)phenyl]-2-methyl-6-oxo-1,4,5,6-tetrahydro-3-pyridinecarboxamide;

4-[2,3-Difluoro-4-(trifluoromethyl)phenyl]-*N*-(6-fluoro-1*H*-indazol-5-yl)-2-methyl-6-oxo-1,4,5,6-tetrahydro-3-pyridinecarboxamide;

N-(6-Fluoro-1*H*-indazol-5-yl)-4-[3-fluoro-4-(trifluoromethyl)phenyl]-2-methyl-6-oxo-1,4,5,6-tetrahydro-3-pyridinecarboxamide;

4-(4-Cyanophenyl)-*N*-(6-fluoro-1*H*-indazol-5-yl)-2-methyl-6-oxo-1,4,5,6-tetrahydro-3-pyridinecarboxamide;

4-(4-Biphenyl)-*N*-(6-fluoro-1*H*-indazol-5-yl)-2-methyl-6-oxo-1,4,5,6-tetrahydro-3-pyridinecarboxamide;

N-(6-Fluoro-1*H*-indazol-5-yl)-2-methyl-6-oxo-4-[4-(2-thienyl)phenyl]-1,4,5,6-tetrahydro-3-pyridinecarboxamide;

4-(4-Bromophenyl)-*N*-(6-fluoro-1*H*-indazol-5-yl)-2-methyl-6-oxo-1,4,5,6-tetrahydro-3-pyridinecarboxamide;

4-(5-Cyano-2-fluorophenyl)-*N*-(6-fluoro-1*H*-indazol-5-yl)-2-methyl-6-oxo-1,4,5,6-tetrahydro-3-pyridinecarboxamide;

N-(6-Fluoro-1*H*-indazol-5-yl)-4-[2-fluoro-4-(methyloxy)phenyl]-2-methyl-6-oxo-1,4,5,6-tetrahydro-3-pyridinecarboxamide;

N-(3-Chloro-1*H*-indazol-5-yl)-4-[4-chloro-3-(methyloxy)phenyl]-2-methyl-6-oxo-1,4,5,6-tetrahydro-3-pyridinecarboxamide;

N-(3-Bromo-1*H*-indazol-5-yl)-4-[4-chloro-3-(methyloxy)phenyl]-2-methyl-6-oxo-1,4,5,6-tetrahydro-3-pyridinecarboxamide;

4-[4-Chloro-3-(methyloxy)phenyl]-2-methyl-*N*-(3-methyl-1*H*-indazol-5-yl)-6-oxo-1,4,5,6-tetrahydro-3-pyridinecarboxamide;

4-[4-Chloro-3-(methyloxy)phenyl]-*N*-(3-ethyl-1*H*-indazol-5-yl)-2-methyl-6-oxo-1,4,5,6-tetrahydro-3-pyridinecarboxamide;

4-[4-Chloro-3-(methyloxy)phenyl]-*N*-(6-fluoro-1*H*-indazol-5-yl)-2-methyl-6-oxo-1,4,5,6-tetrahydro-3-pyridinecarboxamide;

4-(4-Chloro-3-hydroxyphenyl)-*N*-(3-chloro-1*H*-indazol-5-yl)-2-methyl-6-oxo-1,4,5,6-tetrahydro-3-pyridinecarboxamide;

N-(3-Bromo-1*H*-indazol-5-yl)-4-(4-chloro-3-hydroxyphenyl)-2-methyl-6-oxo-1,4,5,6-tetrahydro-3-pyridinecarboxamide;

4-(4-Chloro-3-hydroxyphenyl)-2-methyl-*N*-(3-methyl-1*H*-indazol-5-yl)-6-oxo-1,4,5,6-tetrahydro-3-pyridinecarboxamide;

4-(4-Chloro-3-hydroxyphenyl)-*N*-(3-ethyl-1*H*-indazol-5-yl)-2-methyl-6-oxo-1,4,5,6-tetrahydro-3-pyridinecarboxamide;

4-(4-Chloro-3-hydroxyphenyl)-*N*-(6-fluoro-1*H*-indazol-5-yl)-2-methyl-6-oxo-1,4,5,6-tetrahydro-3-pyridinecarboxamide;

N-(3-Chloro-1*H*-indazol-5-yl)-4-(4-chlorophenyl)-1,2-dimethyl-6-oxo-1,4,5,6-tetrahydro-3-pyridinecarboxamide;

N-(6-Fluoro-1*H*-indazol-5-yl)-2-methyl-1-{[3-(methyloxy)phenyl]methyl}-6-oxo-4-[4-(trifluoromethyl)phenyl]-1,4,5,6-tetrahydro-3-pyridinecarboxamide;

1-Ethyl-*N*-(6-fluoro-1*H*-indazol-5-yl)-2-methyl-6-oxo-4-[4-(trifluoromethyl)phenyl]-1,4,5,6-tetrahydro-3-pyridinecarboxamide;

N-(6-Fluoro-1*H*-indazol-5-yl)-2-methyl-1-(2-methylpropyl)-6-oxo-4-[4-(trifluoromethyl)phenyl]-1,4,5,6-tetrahydro-3-pyridinecarboxamide; and
1-[2-(Dimethylamino)-2-oxoethyl]-*N*-(6-fluoro-1*H*-indazol-5-yl)-2-methyl-6-oxo-4-[4-(trifluoromethyl)phenyl]-1,4,5,6-tetrahydro-3-pyridinecarboxamide; and
pharmaceutically acceptable salts thereof.

4. A method of treating disease through inhibiting Rho-kinases comprising administering to a subject in need thereof a therapeutically effective amount of a compound according to claim 1.

5. A method according to claim 4 wherein the disease is selected from the group consisting of:
hypertension, chronic and congestive heart failure, ischemic angina, cardiac hypertrophy and fibrosis, restenosis, chronic renal failure, atherosclerosis, asthma, male erectile dysfunctions, female sexual dysfunction and over-active bladder syndrome, stroke, multiple sclerosis, Alzheimer's disease, Parkinson's disease, amyotrophic lateral sclerosis, inflammatory pain, rheumatoid arthritis, irritable bowel syndrome, inflammatory bowel disease, Crohn's diseases, indications requiring neuronal regeneration, inducing new axonal growth and axonal rewiring across lesions within the CNS, spinal cord injury, acute neuronal injury, Parkinsons disease, Alzheimers disease, cancer, tumor metastasis, viral and bacterial infection, insulin resistance and diabetes.

6. A method according to claim 5 wherein the disease is selected from the group consisting of:
hypertension, chronic and congestive heart failure, ischemic angina, asthma, male erectile dysfunction, female sexual dysfunction, stroke, inflammatory bowel diseases, spinal cord injury, glaucoma and tumor metastasis.

7. A method according to claim 5 wherein the disease is selected from the group consisting of:
hypertension, chronic and congestive heart failure and ischemic angina.

8. A pharmaceutical composition comprising a compound according to claim 1 and a suitable carrier.